





DOOR NOTES:
1. DOOR THRESHOLDS: THRESHOLDS AT DOORWAYS SHALL NOT EXCEED 3/4" IN HEIGHT FOR EXTERIOR SLIDING DOORS OR 1/2" FOR OTHER TYPES OF DOORS. THRESHOLDS AND FLOOR LEVEL CHANGES BETWEEN 1/4" AND 1/2" AT ACCESSIBLE DOORWAYS SHALL BE BEVELED WITH A SLOPE NO GREATER THAN 1:2.

DOORS
REF. SECTION 404 DOORS



GENERAL TAS NOTES

1. DRAWINGS ON THIS SHEET REPRESENT THE REQUIREMENTS SET BY THE TEXAS ACCESSIBILITY STANDARDS (TAS) OF THE ARCHITECTURAL BARRIERS ACT ARTICLE 9102, TEXAS CIVIL STATUTES EFFECTIVE MARCH 15, 2012. THE CONTRACTOR IS TO COMPLY WITH THESE STANDARDS.
2. THESE REQUIREMENTS ARE MINIMUMS SET FORTH BY THE TEXAS ACCESSIBILITY STANDARDS AND MAY NOT REFLECT THE ACTUAL SCOPE OF WORK. THE CONSTRUCTION DOCUMENTS SHALL GOVERN OVER THESE STANDARDS EXCEPT WHERE THE DOCUMENTS DO NOT MEET THE MINIMUM REQUIREMENTS SHOWN ON THIS SHEET. CONTRACTOR TO NOTIFY THE ARCHITECT IMMEDIATELY IF ANY CONDITIONS ARISE THAT DO NOT MEET THESE STANDARDS.



O'CONNELL ROBERTSON

Austin: 811 Barton Springs Road, Suite 300, Austin, Texas 78704 t: 512.478.7441
San Antonio: 4240 Broadway, Suite 300, San Antonio, Texas 78209 p: 210.224.6032 f: 210.224.6453

CENTRAL HEALTH
SE HEALTH & WELLNESS CENTER RENOVATIONS
2901 MONTPOOLS DR, AUSTIN, TX 78741




Revisions:	
NO.	DESCRIPTION
DATE	

08/31/18
Project No. 1826.01
CONTRACT DOCUMENTS


ADULT TAS ACCESSIBILITY

G2.1


C:\Reel Projects 2017\182601_17_Central_Health_Renovations_Arch_Central_alu.rvt 9/13/2018 10:12:18 AM © 2018 CONNELL ROBERTSON, INC.



1 BLACKSTOCK CLINIC DEMOLITION PLAN
SCALE: 1/4" = 1'-0"



2 GROUP VISIT ROOMS DEMOLITION PLAN
SCALE: 1/4" = 1'-0"



4 CONVENIENT CARE CLINIC DEMOLITION PLAN
SCALE: 1/4" = 1'-0"

GENERAL DEMOLITION NOTES


1. THE CONTRACTOR SHALL FURNISH ALL LABOR, MATERIALS, TOOLS, EQUIPMENT AND RELATED ITEMS REQUIRED TO COMPLETE THE DEMOLITION WORK AS INDICATED BY THE CONTRACT DOCUMENTS
2. THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE WORK, USING HIS BEST SKILL AND ATTENTION. HE SHALL BE SOLELY RESPONSIBLE FOR ALL DEMOLITION MEANS, METHODS, TECHNIQUES, SEQUENCES AND PROCEDURES, AND FOR COORDINATING ALL PORTIONS OF THE WORK UNDER THE CONTRACT.
3. THE CONTRACTOR SHALL PAY FOR ALL PERMITS, FEES AND INSPECTIONS REQUIRED FOR THE EXECUTION OF THE WORK
4. SERVICE CONNECTIONS SHALL BE SAFELY REMOVED, CAPPED OR PLUGGED IN COMFORMITY WITH LOCAL LAWS AND ORDINANCES, REQUIREMENTS OF LOCAL UTILITY COMPANIES, AND THE NATIONAL BOARD OF FIRE UNDERWRITERS, AND IN SUCH MANNER AS TO NOT TO INTERFERE WITH USE OF THE OCCUPIED SPACES IN THE BUILDING
5. REMOVE ALL MISCELLANEOUS DEVICES AS REQUIRED TO INSTALL NEW FINISHES, INCLUDED BUT NOT LIMITED TO PLUMBING FIXTURES, SIGNAGE, SWITCH PLATES, TELEVISION BRACKETS, WALL OUTLET COVERS, ETC. SAVE FOR REINSTALLATION AFTER COMPLETION OF FINISH WORK
6. CONTRACTOR TO COORDINATE WITH OWNER'S REPRESENTATIVE FOR INFECTIOUS CONTROL MEASURES DURING CONSTRUCTION
7. DASHED WALLS INDICATE WALLS, DOORS, FIXTURES, CASEWORK, ETC. TO BE REMOVED IN THEIR ENTIRETY
8. ANY QUESTIONS CONCERNING OWNERSHIP OF SALVAGEABLE MATERIAL SHALL BE ANSWERED BY THE OWNER, OR THE OWNER'S REPRESENTATIVE
9. INSTALL TEMPORARY DUST PARTITIONS WITH DOORS FOR CONSTRUCTION ACCESS AROUND AREAS OF WORK SO THAT OPERATIONS IN EXISTING ADJACENT AREAS REMAIN DUST FREE. MAINTAIN IN PLACE UNTIL COMPLETION OF CONSTRUCTION
10. IMMEDIATELY SEAL ALL PENETRATIONS IN EXISTING SLAB OPEN DURING DEMOLITION WITH FIRESTOPPING MATERIAL AND WATERPROOFING
11. SEAL ALL PENETRATIONS, NEW AND EXISTING, ABOVE CEILING AT FIRE RATED AND SMOKE PARTITIONS IN AREAS OF WORK AS REQUIRED TO MAINTAIN RATING
12. PROVIDE CONSTRUCTION DUST BARRIERS AND/OR TEMPORARY PARTITIONS TO ENCLOSE CONSTRUCTION AND LIMIT DUST SPREAD. CONTRACTOR'S TOOLS AND EQUIPMENT SHALL STAY WITHIN THE ENCLOSED AREAS.

KEYNOTE LEGEND

- 102 REMOVE DOOR, FRAME, AND ASSOCIATED HARDWARE.
- 103 REMOVE AND SALVAGE EXISTING CASEWORK. TURN OVER TO OWENER FOR RE-USE.
- 104 REMOVE MOVEABLE PARTITION AS REQUIRED FOR NEW CONSTRUCTION.
- 105 REMOVE PLUMBING FIXTURE, RE: PLUMBING.
- 106 REMOVE PORTION OF PARTITION AS REQUIRED FOR NEW CONSTRUCTION.
- 107 REMOVE AND SALVAGE DOOR, FRAME, AND ASSOCIATED HARDWARE FOR REUSE IN NEW LOCATION.
- 108 REMOVE CEILING AND LIGHTING IN THIS AREA.
- 109 REMOVE CORNER GUARD PRIOR TO NEW CONSTRUCTION.
- 110 REMOVE EXISTING SIGNAGE.
- 111 REMOVE STOREFRONT DOOR, FRAME, AND ASSOCIATED HARDWARE.
- 112 REMOVE INDICATED PORTION OF EXTERIOR WALL; SALVAGE STONE VENEER FOR REUSE IN NEW CONSTRUCTION.
- 113 WORKSTATION TO BE REMOVED BY OWNER PRIOR TO NEW OPENING CONSTRUCTION.
- 114 REMOVE TV AND RETURN TO OWNER.
- 115 REMOVE PROJECTOR AND MOUNTING SUPPORT AND RETURN TO OWNER.
- 116 REMOVE FLOORING AND BASE IN THIS AREA. PREPARE SLAB FOR NEW FLOORING.
- 117 REMOVE AND REINSTALL CEILING ONLY AS REQUIRED TO ACCOMMODATE NEW CONSTRUCTION.
- 118 REMOVE PORTION OF THE GYPSUM BOARD FROM THIS PARTITION AS REQUIRED FOR NEW CONSTRUCTION.
- 119 REMOVE EXISTING CARD READER, SALVAGE AND RETURN TO OWNER.
- 120 IN HATCH AREA INFILL SLOPED RECESS IN SLAB AT ENTRY WITH CEMENTITIOUS LEVELING COMPOUND AS REQUIRED TO PROVIDE LEVEL SURFACE.
- 121 REMOVE RECESS MOUNTED, MOTORIZED PROJECTION SCREEN AND RETURN TO OWNER.
- 122 SALVAGE LIGHT FIXTURES IN THIS ROOM FOR RE-USE AND REINSTALLATION IN THIS PROJECT - RE: ELECTRICAL.
- 123 SALVAGE FLOORING IN THIS ROOM FOR RE-USE AND REINSTALLATION IN THIS PROJECT - RE: FINISH PLAN.
- 124 SIGNAGE TO BE REMOVED BY OWNER.

- NEW CONSTRUCTION
- EXISTING CONSTRUCTION
- DEMOLITION
- HIDDEN LINE
- FIRE/SMOKE BARRIERS
- 1 HOUR FIRE BARRIER

ARCHITECTURAL LINETYPES



© 2018 CONNELL ROBERTSON, INC.

9/13/18

REGISTERED ARCHITECT
JOSEPH P. ROBERTSON
11753
STATE OF TEXAS

Revisions:
NO. DESCRIPTION DATE

08/31/18
Project No. 1826.01
CONTRACT DOCUMENTS







DEMOLITION PLANS






A2.1

CENTRAL HEALTH
SE HEALTH & WELLNESS CENTER RENOVATIONS
2901 MONTFOLPS DR, AUSTIN, TX 78741




EQUIPMENT SCHEDULE		
MARK	DESCRIPTION	RESPONSIBILITY
EQ-01	SCALE	OFOI
EQ-02	UNDER COUNTER FREEZER	OFOI
EQ-03	MEDICAL GLOVE HOLDER	OFOI
EQ-04	WALL MOUNTED SHARPS DISPOSAL	OFOI
EQ-05	DIAGNOSTIC SET	OFOI
EQ-06	EXAMINATION TABLE	OFOI
EQ-07	PATIENT MONITOR	OFOI







C:\Reel Projects 2017\182601_17_Central_Health_Renovations_Arch_Control_djhu.rvt 9/12/2018 5:37:42 PM © 2018 O'CONNELL ROBERTSON, INC.



1 BLACKSTOCK CLINIC RCP
SCALE: 1/4" = 1'-0"



2 RESIDENT ROOM AND CARE MANAGEMENT ROOM RCP
SCALE: 1/4" = 1'-0"



4 CONVENIENT CARE CLINIC RCP
SCALE: 1/4" = 1'-0"

GENERAL RCP NOTES

1. CEILING HEIGHT IS 9'-0" ABOVE FINISHED FLOOR UNLESS NOTED OTHERWISE.
2. CEILING TYPE IS ACT-1 UNLESS NOTED OTHERWISE.
3. PAINTED CEILINGS AN FURR DOWNS ARE PT-1 UNLESS NOTED OTHERWISE.
4. NOT ALL CEILING DEVICES ARE SHOWN ON THE ARCHITECTURAL REFLECTED CEILING PLAN. DEVICES ARE SHOWN TO REPRESENT THE DESIRED LOCATION AND IMPACT ON DESIGN INTENT.
5. CEILING DEVICES MAYBE SHOWN IN MULTIPLE DOCUMENTS FOR COORDINATION.

RCP LEGEND

SCALE: 1/8" = 1'-0"

- 2' X 2' ACT1
- PAINTED GYPSUM WALL BOARD
- OPEN TO STRUCTURE

KEYNOTE LEGEND

- 308 CUT, PATCH, AND REPAIR CEILING IN THIS AREA TO MATCH EXISTING.
- 402 PT5 AT ALL EXPOSED SIDES OF FURR DOWN.
- 403 PT7 AT ALL EXPOSED SIDES OF FURR DOWN.
- 404 ALIGN GYP. FURR DOWN WITH WALL.



O'CONNELL ROBERTSON

Austin: 811 Barton Springs Road, Suite 300, Austin, Texas 78704 P: 512.478.7441
San Antonio: 4240 Broadway, Suite 300, San Antonio, Texas 78209 P: 210.224.6032 F: 210.224.6453

CENTRAL HEALTH
SE HEALTH & WELLNESS CENTER RENOVATIONS
2901 MONTOPOLIS DR, AUSTIN, TX 78741






Revisions:
NO. DESCRIPTION DATE

08/31/18
Project No. 1826.01
CONTRACT DOCUMENTS


REFLECTED CEILING PLAN

A9.1





LIST OF FINISHES						
KEY	DESCRIPTION	MANUFACTURER	COLOR/NAME	PATTERN/STYLE	REMARKS	
PT - PAINT						
PT1	PAINT	SHERWIN WILLIAMS	SW 7631 CITY LOFT	PER SPEC		
PT2	PAINT	SHERWIN WILLIAMS	SW 7641 COLLONANDE GRAY	PER SPEC		GYP CEILING U.N.O. & HM FRAME
PT3	PAINT	SHERWIN WILLIAMS	SW 7642 PAVESTONE	PER SPEC		
PT5	PAINT	SHERWIN WILLIAMS	SW 0033 REMBRANT RUBY	PER SPEC		
PT7	PAINT	SHERWIN WILLIAMS	SW 6643 YAM	PER SPEC		
PL - PLASTIC LAMINATE						
PL1	PLASTIC LAMINATE	NEVAMAR	WZ2001T SANTA ROSA PLUM	TREE TEXTURED		BASE AND UPPER CABINETS U.N.O.
PL2	PLASTIC LAMINATE	WILSONART	4878-38 PEWTER MESH			COUNTERTOP AND BACKSPLASH U.N.O
PL3	PLASTIC LAMINATE	WILSONART	D91K-16 SLATE GRAY	LINEAR TEXTURE		
SOLID/QUARTZ SURFACING						
SS1	SOLID SURFACE	CORIAN	VENARO WHITE	MATTE		
BASE						
RB1	4" COVED RUBBER BASE	ROPPE	195 LIGHT GREY	TYPE TS - PINNACLE		
CPT - CARPET						
CPT1	CARPET TILE	PATCRAFT	SLANT 00530	DEFLECT		INSTALLATION: BRICK
CPT2	CARPET TILE	PATCRAFT	ORANGE TIP 00530	IN FLIGHT		INSTALLATION: MONOLITHIC
CPT6	CARPET TILE	PATCRAFT	SCARLET PEACOCK 00835	IN FLIGHT		INSTALLATION: MONOLITHIC
VCT - VINYL COMPOSITION TILE						
VCT1	12" X 12" VINYL COMPOSITE TILE	PER SPEC	MATCH EXISTING	TO BE DETERMINED		
VCT7	12" X 12" VINYL COMPOSITE TILE	AZROCK	V2608 HYPE	STANDARD PRICE		
CONCRETE FLOOR CONDITIONS						
CONC1	EXPOSED CONCRETE FLOORS AND CURBS FOR HVAC ROOMS	TO BE DETERMINED	TO BE DETERMINED	TO BE DETERMINED		
SC	SEALED CONCRETE	TO BE DETERMINED	TO BE DETERMINED	TO BE DETERMINED		
WP - WALL PROTECTION						
CG1	CORNER GUARD	-	MATCH EXISTING	-		REFER TO SPEC
CR2	CHAIR RAIL	KOROGARD	MATCH EXISTING	CH20 CHAIR RAIL		
EP1	END PROTECTION	-	MATCH EXISTING	-		REFER TO SPEC
WC1	.040 SEMI-RIGID WALL COVERING	KOROGARD	MATCH EXISTING	500 SERIES		4'- 0" HEIGHT U.N.O.



GENERAL FINISH PLAN NOTES

- REFER TO A10 SERIES FOR INTERIOR ELEVATIONS
1. REFER TO THE ROOM FINISH SCHEDULE SHEET A9.X FOR ALL FINISH DESIGNATIONS. FINISH PLANS TO BE USED WHEN MORE THAN ONE FINISH IS USED IN A ROOM.
 3. PT1 AT ALL WALLS U.N.O.
 4. PL2 AT ALL COUNTERTOPS AND SPLASHES U.N.O.
 5. PL1 AT ALL UPPER CABINETS U.N.O.
 6. PL3 AT ALL BASE CABINETS U.N.O.

KEYNOTE LEGEND

401 FURNITURE: OFOI, OWNER FURNISHED OWNER INSTALLED.







ROOM FINISH
COMMENTS


1. REFER TO THE ROOM FINISH SCHEDULE FOR ALL FINISH DESIGNATIONS. FINISH PLANS TO BE USED WHEN MORE THAN ONE FINISH IS USED IN A ROOM.
2. REFER TO 'TYPICAL MED EXAM ROOM'
3. USE SALVAGED FLOORING IN THIS AREA PRIOR TO NEW.
4. PROVIDE CR2 WITH WC1 WAINSCOT AT ALL WALLS.

INTERIOR FINISH LEGEND

XXX	ROOM NAME
--	ROOM #
--	FLOOR FINISH
--	BASE FINISH
--	WALL FINISH
--	ROOM FINISH COMMENTS


* INDICATES MULTIPLE FINISHES/COLORS REF PLANS & ELEVATIONS

	ALIGN FINISH
	GRAIN DIRECTION
	CORNER GUARD, CG1
	CORNER GUARD, EP1
	EXTENTS OF FINISH
	CHANGE IN FLOORING TYPE - TRANSITION NEEDED




1 RESIDENT ROOM IM+FP

SCALE: 1/4" = 1'-0"




2 RESIDENT ROOM IM+FP

SCALE: 1/4" = 1'-0"




3 RESIDENT ROOM IM+FP

SCALE: 1/4" = 1'-0"




4 RESIDENT ROOM IM+FP

SCALE: 1/4" = 1'-0"




5 CARE MANAGEMENT

SCALE: 1/4" = 1'-0"




6 CARE MANAGEMENT

SCALE: 1/4" = 1'-0"




7 CARE MANAGEMENT

SCALE: 1/4" = 1'-0"




8 CONVENIENT CARE CLINIC

SCALE: 1/4" = 1'-0"




9 101 - INTAKE

SCALE: 1/4" = 1'-0"




10 105 - CLIA WORK

SCALE: 1/4" = 1'-0"




11 105 - CLIA WORK

SCALE: 1/4" = 1'-0"




12 105 - CLIA WORK

SCALE: 1/4" = 1'-0"




13 102 - EXAM

SCALE: 1/4" = 1'-0"




14 102 - EXAM

SCALE: 1/4" = 1'-0"




15 TYPICAL MED EXAM

SCALE: 1/4" = 1'-0"




16 109 - EXAM

SCALE: 1/4" = 1'-0"





17 TYPICAL EXAM ROOM WORK COUNTER

SCALE: 1/4" = 1'-0"




18 CONVENIENT CARE COUNTER


SCALE: 1" = 1'-0"




DETAIL OF SOFFIT ABOVE CABINETS




U2, U3 - UPPER CABINET W/ DOOR




U9 - UPPER CABINET W/ DOOR




B9 - NON-TAS BASE SINK WITH FRONT PANEL




B10, B11 - BASE CABINET



C1 - WALL SUPPORTED COUNTER



C1A - WALL SUPPORTED COUNTER - PLAN VIEW



TYPICAL CASEWORK NOMENCLATURE